
PANDUAN PERMARKAHAN
UJIAN DIAGNOSTIK 2
BIOLOGI SPM KERTAS 3
TAHUN 2020

No. 1

No	MARK SCHEME	Score												
1(a)	<p>Able to record the Volume of urine output correctly // All five readings correctly. <i>Boleh merekodkan isipadu air kencing yang dihasilkan dengan betul // Semua 5 bacaan dengan betul.</i></p> <p><u>Sample answers:</u></p> <table border="1" data-bbox="427 615 1203 957"> <thead> <tr> <th data-bbox="427 615 784 783">Volume of distilled water drunk (ml) <i>Isipadu air suling yang diminum (ml)</i></th> <th data-bbox="784 615 1203 783">Volume of urine output (ml) <i>Isipadu air kencing yang dihasilkan (ml)</i></th> </tr> </thead> <tbody> <tr> <td data-bbox="427 783 784 819">100</td> <td data-bbox="784 783 1203 819">80</td> </tr> <tr> <td data-bbox="427 819 784 854">200</td> <td data-bbox="784 819 1203 854">164</td> </tr> <tr> <td data-bbox="427 854 784 890">300</td> <td data-bbox="784 854 1203 890">255</td> </tr> <tr> <td data-bbox="427 890 784 926">400</td> <td data-bbox="784 890 1203 926">363</td> </tr> <tr> <td data-bbox="427 926 784 957">500</td> <td data-bbox="784 926 1203 957">475</td> </tr> </tbody> </table>	Volume of distilled water drunk (ml) <i>Isipadu air suling yang diminum (ml)</i>	Volume of urine output (ml) <i>Isipadu air kencing yang dihasilkan (ml)</i>	100	80	200	164	300	255	400	363	500	475	3
Volume of distilled water drunk (ml) <i>Isipadu air suling yang diminum (ml)</i>	Volume of urine output (ml) <i>Isipadu air kencing yang dihasilkan (ml)</i>													
100	80													
200	164													
300	255													
400	363													
500	475													
	Able to record 4-3 data correctly	2												
	Able to record 1-2 data correctly	1												
	Able to record only 0 data <u>or</u> not able to respond / wrong response.	0												
(b) (i)	<p>Able to state two different observations correctly based on two criteria: <i>Boleh menyatakan dua pemerhatian dengan betul berdasarkan aspek-aspek yang berikut :</i></p> <p>P1- Manipulated variable (Volume of distilled water drunk) / <i>Isipadu air suling yang diminum</i></p> <p>P2 – Responding variable (Volume of urine output) / <i>Isipadu air kencing yang dihasilkan</i></p> <p><u>Sample answers:</u></p> <p>1. When the volume of distilled water drunk is 100 ml / 200 ml / 300 ml / 400 ml/ 500ml, the volume of urine output is 80ml / 164 ml / 255 ml / 363ml/ 475 ml.</p>	3												

	<p><i>Apabila 100 ml / 200 ml / 300 ml / 400 ml/ 500ml isipadu air suling yang diminum, isipadu air kencing yang dihasilkan adalah 80ml / 164 ml / 255 ml / 363ml/ 475 ml.</i></p> <p>2. When the volume of distilled water drunk is 100 ml // 500ml, the volume of urine output is the least/lowest//most/highest. <i>Apabila 100 ml // 500ml isipadu air suling yang diminum, isipadu air kencing yang dihasilkan adalah paling sedikit/paling rendah //paling banyak/paling tinggi.</i></p>	
--	--	--

	<p>Able to state one correct observation and one inaccurate observation or two inaccurate observations</p> <p><i>Boleh menyatakan satu pemerhatian betul dan satu kurang tepat atau dua pemerhatian tidak tepat.</i></p> <p><u>Sample answer (inaccurate):</u></p> <p>1. When the volume of distilled water drunk is 100 ml / 200 ml / 300 ml / 400ml / 500 ml , the volume of urine output is the less/low//more/ high. <i>Apabila 100 ml / 200 ml / 300 ml / 400ml / 500 ml isipadu air suling yang diminum, isipadu air kencing yang dihasilkan adalah sedikit / rendah // banyak / tinggi.</i></p>	2
	<p>Able to state only one correct observation or two observation at idea level.</p> <p><i>Boleh menyatakan satu pemerhatian betul atau dua pemerhatian pada peringkat idea.</i></p> <p><u>Sample answer (idea level):</u></p> <p>1. The volume of urine output is different. <i>Isipadu air kencing yang dihasilkan adalah berbeza.</i></p> <p>2. The volume of distilled water drunk affects the volume of urine output. <i>Isipadu air suling yang diminum mempengaruhi isipadu air kencing yang dihasilkan.</i></p>	1
	<p>No response <u>or</u> incorrect response or one idea only</p> <p><i>Tiada respon atau respon salah atau satu idea sahaja</i></p>	0
(b) (ii)	<p>Able to state two correct inferences based on the following aspects :</p> <p><i>Boleh menyatakan dua inferens dengan betul berdasarkan aspek berikut:</i></p>	3

	<p>MV – less/ more amount of water (drunk) <i>kurang / lebih banyak jumlah air (diminum)</i></p> <p>RV – more / less water reabsorbed (in the kidney) <i>lebih banyak / kurang air diserap semula (di dalam ginjal)</i></p> <p><u>Sample answer:</u> (For observation 1 and 2 in sample answers)</p> <p>1. The amount of water drunk is less / more, more / less water reabsorbed (in the kidney). <i>Jumlah air yang diminum adalah kurang / lebih banyak, lebih banyak / kurang air diserap semula (di dalam ginjal)</i></p>	
	<p>Able to state one correct inference and one inaccurate inference or two inaccurate inferences. <i>Boleh menyatakan satu inferens dengan betul dan satu inferens tidak tepat atau dua inferens tidak tepat.</i></p> <p><u>Sample answer (inaccurate):</u></p> <ol style="list-style-type: none"> More /high/ much/ (amount) of water reabsorbed //inversely. <i>Lebih banyak / tinggi / banyak (jumlah) air diserap semula // sebaliknya.</i> Higher / high / lower / low osmotic pressure. <i>Lebih tinggi / tinggi / lebih rendah / rendah tekanan osmosis</i> Less / more ADH is secreted to the kidney tubule. <i>Kurang / lebih banyak ADH dirembes ke dalam tubul ginjal.</i> 	2
	<p>Able to state one correct inference and one inference at idea level <i>Boleh menyatakan satu inferens dengan betul dan satu inferens pada peringkat idea.</i></p> <p><u>Sample answer for idea level:</u></p> <ol style="list-style-type: none"> ADH is secreted. <i>ADH dirembeskan.</i> Salt reabsorbed. <i>Garam diserap semula.</i> Water reabsorbed. <i>Air diserap semula</i> 	1
	<p>No response or inaccurate response <i>Tiada respon atau respon salah</i></p>	0

Summary of scoring for 1(b)(i) and 1(b)(ii) :

Score	Correct	Inaccurate	Idea	Wrong
3	2	-	-	-
2	1	1	-	-
	-	2	-	-
1	1	-	1	
	-	-	2	-
	1	-	-	1
	-	1	1	-
0	-	1	-	1
0	-	-	1	1

(c)

Able to state all 3 variables and the methods to handle the variables correctly

Boleh menyatakan semua 3 pemboleh ubah dan cara mengendalikan pemboleh ubah dengan betul

Sample answer

Variable / <i>Pemboleh ubah</i>	Method to handle the variable / <i>Cara mengendalikan pemboleh ubah</i>
<u>Manipulated variable</u> <i>dimanipulasikan</i> Volume of distilled water drunk <i>Isipadu air suling yang diminum</i>	(The students) drink different volume of distilled water // Change the volume of distilled water from 100 ml to 200 ml, 300 ml, 400 ml and 500 ml. <i>(Murid-murid) minum isipadu air suling yang berbeza // Tukar isipadu air suling daripada 100 ml kepada 200 ml, 300 ml, 400 ml dan 500 ml.</i>

3

<p><u>Responding Variable / bergerakbalas</u></p> <p>Volume of urine output // <i>Isipadu air kencing yang dihasilkan.</i></p> <p>Reabsorption of water in the kidney// <i>Penyerapan semula air dalam ginjal</i></p> <p>Percentage volume of urine output <i>Peratus isipadu air kencing yang dihasilkan.</i></p>	<p>Measure and record the volume of urine output by using a measuring cylinder. //</p> <p><i>Ukur dan rekod isipadu air kencing yang dihasilkan dengan menggunakan silinder penyukat.</i></p> <p>Calculate the and record the percentage volume of urine output by using formula :</p> $\text{Percentage volume of urine output} = \frac{\text{Volume of urine output}}{\text{Volume of distilled water drunk}} \times 100$ <p><i>Kira dan rekod peratus isipadu air kencing yang dihasilkan dengan menggunakan formula :</i></p> $\text{Peratus isipadu air kencing yang dihasilkan} = \frac{\text{Isipadu air kencing yang dihasilkan}}{\text{Isipadu air suling yang diminum}} \times 100$
<p><u>Constant variable/ dimalarkan</u></p> <p>The student//Time taken to collect/measure/record the urine// type of water drank <i>Murid // Masa diambil untuk kumpul/ ukur/ rekod air kencing // jenis air yang diminum</i></p>	<p>Use the same student to carry out the experiment// <i>Gunakan murid yang sama untuk menjalankan eksperimen//</i></p> <p>Fix the time taken to collect/measure/record the urine at one hour// <i>Tetapkan masa diambil untuk kumpul / ukur/ rekod air kencing selama satu jam //</i></p> <p>Use only distilled water <i>gunakan hanya air suling</i></p>

Able to state 3-5 ticks correctly	2
Able to state 1-2 ticks correctly	1
No response <u>or</u> incorrect response	0

(d)	<p>Able to make a hypothesis based on the following aspects: <i>Boleh menyatakan hipotesis berdasarkan aspek berikut :</i></p> <p>P1 : manipulated variable / <i>Pemboleh ubah dimanipulasikan</i> : Volume of distilled water drunk / <i>Isipadu air suling yang diminum</i></p> <p>P2 : responding variable / <i>Pemboleh ubah bergerakbalas</i> : Volume of urine output/ <i>Isipadu air kencing yang dihasilkan.</i></p> <p>R : Relationship / <i>Hubungan</i></p> <p><u>Sample answer</u> P1 + P2 + R</p> <ol style="list-style-type: none"> As the volume of distilled water drunk increases, the volume of urine output increases // vice versa. <i>Apabila isipadu air suling yang diminum meningkat, isipadu air kencing yang dihasilkan juga meningkat // sebaliknya.</i> 	3
	<p>Able to make a hypothesis based on any two aspects. <i>Boleh menyatakan hipotesis berdasarkan mana-mana dua aspek berikut :</i></p> <p>P1 + P2 // P1/P2 + R</p> <ol style="list-style-type: none"> The volume of urine output depends on the volume of distilled water drunk. <i>Isipadu air kencing yang dihasilkan bergantung kepada isipadu air suling yang diminum</i> Different group of students has different volume of urine output. <i>Kumpulan murid yang berbeza mempunyai isipadu air kencing yang dihasilkan berbeza</i> 	2

<p>Able to make hypothesis based on one aspect. <i>Boleh menyatakan hipotesis berdasarkan satu aspek berikut :</i> <u>Sample answer</u> 1. Volume of urine output is different. <i>Isipadu air kencing yang dihasilkan adalah berbeza</i></p>	1
No response or incorrect respons	0

(e) (i)	<p>Able to construct a table correctly with the following aspects: <i>Boleh membina jadual dengan betul mengikut aspek-aspek yang berikut :</i></p> <p>T : Titles with correct units /<i>Tajuk dengan unit yg betul</i> - 1 mark D: Data - 1mark C : Average volume of urine output/<i>Purata isipadu air kencing yang dihasilkan</i> - 1mark</p> <p><u>Sample answer :</u></p> <p style="text-align: center;">Title, T</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th style="text-align: center;">Volume of distilled water drunk (ml) <i>Isipadu air suling yang diminum (ml)</i></th> <th style="text-align: center;">Volume of urine output (ml) <i>Isipadu air kencing yang dihasilkan, (ml)</i></th> <th style="text-align: center;">Percentage volume of urine output (%) <i>Peratus Isipadu air kencing yang dihasilkan (%)</i></th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">100</td> <td style="text-align: center;">80</td> <td style="text-align: center;">80/80.0</td> </tr> <tr> <td style="text-align: center;">200</td> <td style="text-align: center;">164</td> <td style="text-align: center;">82/82.0</td> </tr> <tr> <td style="text-align: center;">300</td> <td style="text-align: center;">255</td> <td style="text-align: center;">85/85.0</td> </tr> <tr> <td style="text-align: center;">400</td> <td style="text-align: center;">363</td> <td style="text-align: center;">91/90.8</td> </tr> <tr> <td style="text-align: center;">500</td> <td style="text-align: center;">475</td> <td style="text-align: center;">95/95.0</td> </tr> </tbody> </table> <p style="text-align: center;">Data, D</p> <p style="text-align: right; margin-right: 20px;">} C – Calculation</p>	Volume of distilled water drunk (ml) <i>Isipadu air suling yang diminum (ml)</i>	Volume of urine output (ml) <i>Isipadu air kencing yang dihasilkan, (ml)</i>	Percentage volume of urine output (%) <i>Peratus Isipadu air kencing yang dihasilkan (%)</i>	100	80	80/80.0	200	164	82/82.0	300	255	85/85.0	400	363	91/90.8	500	475	95/95.0	3
Volume of distilled water drunk (ml) <i>Isipadu air suling yang diminum (ml)</i>	Volume of urine output (ml) <i>Isipadu air kencing yang dihasilkan, (ml)</i>	Percentage volume of urine output (%) <i>Peratus Isipadu air kencing yang dihasilkan (%)</i>																		
100	80	80/80.0																		
200	164	82/82.0																		
300	255	85/85.0																		
400	363	91/90.8																		
500	475	95/95.0																		

	Able to state any two correct aspects	2
	Able to state any one correct aspect	1
	No response <u>or</u> inaccurate response	0

(e) (ii)	<p>Able to draw the graph of average volume of urine output against volume of distilled water drunk based on the following aspects :</p> <p><i>Boleh melukis graf purata isipadu air kencing yang dihasilkan melawan isipadu air kencing yang diminum berdasarkan aspek-aspek berikut:</i></p> <p>Axes / <i>Paksi</i> (P) : Both axes are labelled in uniform scales – 1 mark</p> <p>Points / <i>Titik</i> (T) : All points plotted correctly plotted – 1 mark</p> <p>Shape / <i>Bentuk</i> (B) : Smooth curve line and join all the points – 1 mark</p> <p>All three correct aspects</p>	3
	Any two correct aspects	2
	Any one aspect correct	1
	No response <u>or</u> incorrect response	0

(f)	<p>Able to explain the relationship between the percentage volume of urine output and volume of distilled water drunk based on the following criteria. <i>Boleh menerangkan hubungan antara peratus isipadu air kencing yang dihasilkan dengan isipadu air suling yang diminum berdasarkan kriteria berikut</i></p> <p>R1 : Relationship/ hypothesis statement The more/less the volume of distilled water drunk, the higher the percentage volume of urine output. <i>Lebih banyak / kurang isipadu air suling yang diminum, lebih tinggi peratus isipadu air kencing yang dihasilkan.</i></p> <p>E1 : Osmotic pressure decreases. <i>Tekanan osmosis berkurang</i></p> <p>E2 : Less water reabsorbed (from the kidney) // less/more ADH is produced // Kidney tubules become less/more permeable to water <i>Kurang air diserap semula (dari ginjal) // kurang /lebih banyak ADH dihasilkan // Tubul ginjal menjadi kurang / lebih telap terhadap air</i></p> <p><u>Sample answer :</u> The more the volume of distilled water drunk, the higher the percentage volume of urine output because the osmotic pressure decreases. Thus, less water reabsorbed from the kidney.</p> <p><i>Semakin banyak isipadu air suling yang diminum, semakin tinggi peratus isipadu air kencing yang dihasilkan kerana tekanan osmosis berkurang. Oleh itu, kurang air diserap semula dari ginjal.</i></p> <p>Able to state the relationship and two E correctly</p>	3
	<p>Able to state the relationship based on R and any one E // Able to state an idea of the relationship and two E</p>	2
	<p>Able to state an idea of the relationship and any one E / R only</p>	1
	<p>No response <u>or</u> incorrect R.</p>	0


(g)	<p>Able to define osmoregulation operationally based on the following criteria.</p> <p><i>Boleh menyatakan definisi secara operasi bagi pengosmokawalaturan berdasarkan kriteria berikut:</i></p> <p>P1 : A <u>process</u> that maintain the water content in the blood. <i>Proses yang mengekalkan kandungan air dalam (darah) tekanan osmosis .</i></p> <p>P2 : shown by the volume of urine output by the student after one hour <i>ditunjukkan oleh isipadu air kencing yang dihasilkan oleh murid selepas satu jam.</i></p> <p>P3 : affected by/ depends on the volume of distilled water drunk <i>dipengaruhi oleh / bergantung kepada isipadu air suling yang diminum.</i></p> <p>Hypotesis : the higher the volume of distilled water drunk, the higher the volume of urine output <i>Hipotesis : Semakin tinggi isipadu air yang diminum, semakin tinggi isipadu air kencing yang dihasilkan</i></p> <p>Sample answer :</p> <p>Osmoregulation is the process that will maintain the water content in the body, shown by the volume of urine output of the student after one hour. The volume of urine output depends on the volume of distilled water drunk.</p> <p><i>Pengosmokawalaturan adalah proses yang akan mengekalkan tekanan osmosis di dalam badan yang ditunjukkan oleh isipadu air kencing yang dihasilkan oleh murid selepas satu jam dan dipengaruhi oleh isipadu air suling yang diminum.</i></p> <p>Able to state the all Ps correctly.</p>	3
	Able to state any 2 Ps correctly.	2
	Able to state 1 P or an idea level only.	1
	No response <u>or</u> incorrect response.	0

(h)	<p>Able to predict and explain the volume of urine output based on the following criteria: <i>Boleh meramal dan menerangkan isipadu air kencing yang dihasilkan berdasarkan kepada kriteria berikut:</i></p> <p>P1 : Prediction – volume of urine output is less than 80ml / decreases /will be less <i>Ramalan – isipadu air kencing yang dihasilkan adalah kurang daripada 80 ml / berkurang / akan berkurangan</i></p> <p>E1 : Explanation – Increase of osmotic pressure <i>Penerangan – Tekanan osmosis meningkat</i></p> <p>E2 : More ADH secreted/ kidney tubule will be more permeable to water <i>Lebih banyak ADH dirembeskan/ tubul ginjal akan menjadi lebih telap terhadap air</i></p> <p>E3 : More water reabsorbed (from the kidney) <i>Lebih banyak air diserap semula (dari ginjal)</i></p> <p>Sample answer Volume of urine output is less than 80 ml/ decreases/ will be less, Because the osmotic pressure increases, more ADH is secreted so that the kidney tubule is more permeable to water, more water reabsorbed (from the kidney). <i>Isipadu air kencing yang dihasilkan adalah kurang daripada 80 ml / berkurangan / akan berkurang. Ini adalah kerana tekanan osmosis meningkat, lebih banyak ADH dirembes, jadi tubul ginjal adalah lebih telap terhadap air, lebih banyak air diserap semula (dari ginjal)</i></p> <p>Able to predict and state any 2 Es correctly (P + any 2 Es)</p>	3
	<p>Able to predict and state any 1E correctly. (P+ 1E) Able to predict at idea level only and state any 2 Es correctly. (Idea P + 2Es)</p>	2
	<p>Able to predict only or predict at idea level and state 1 E correctly. (P only @ Idea P + any 1E)</p>	1
	<p>No response or incorrect response.</p>	0

(i)	<p>Able to classify apparatus and materials into their respective variables. <i>Boleh mengelaskan radas dan bahan dengan betul.</i></p> <p><u>Sample answer :</u> All 5 corrects</p> <table border="1" data-bbox="387 499 1251 965"> <thead> <tr> <th data-bbox="387 499 785 613">Apparatus <i>Radas</i></th> <th data-bbox="785 499 1251 613">Material <i>Bahan</i></th> </tr> </thead> <tbody> <tr> <td data-bbox="387 613 785 728">Measuring cylinder <i>Silinder penyukat</i></td> <td data-bbox="785 613 1251 728">Distilled water <i>Air suling</i></td> </tr> <tr> <td data-bbox="387 728 785 842">Beaker <i>Bikar</i></td> <td data-bbox="785 728 1251 842">Sodium chloride solution <i>Larutan natrium klorida</i></td> </tr> <tr> <td data-bbox="387 842 785 965">Stopwatch <i>Jam randik</i></td> <td data-bbox="785 842 1251 965"></td> </tr> </tbody> </table>	Apparatus <i>Radas</i>	Material <i>Bahan</i>	Measuring cylinder <i>Silinder penyukat</i>	Distilled water <i>Air suling</i>	Beaker <i>Bikar</i>	Sodium chloride solution <i>Larutan natrium klorida</i>	Stopwatch <i>Jam randik</i>		3
Apparatus <i>Radas</i>	Material <i>Bahan</i>									
Measuring cylinder <i>Silinder penyukat</i>	Distilled water <i>Air suling</i>									
Beaker <i>Bikar</i>	Sodium chloride solution <i>Larutan natrium klorida</i>									
Stopwatch <i>Jam randik</i>										
	1 – 2 wrongs	2								
	3 – 4 wrongs	1								
	5 wrongs or no respons	0								

e (i) Sample answer

Graph of percentage volume of urine output against volume of distilled water drank
Graf peratus isipadu air kencing yang dihasilkan melawan isipadu air suling yang diminum



No. 2

Question	Mark Scheme	Marks
2(i)	<p>Able to state a problem statement relating the manipulated variable to the responding variable correctly based on the following aspects:</p> <p>P1 : Manipulated variable Temperature / <i>suhu</i></p> <p>P2 : Responding variable Rate of anaerobic respiration in yeast / height // increase in the level of coloured liquid in the manometer // time taken for the lime water to turns cloudy. <i>kadar respirasi anaerobik dalam yis / Ketinggian // kenaikan aras cecair berwarna dalam manometer // masa yang diambil untuk air kapur menjadi keruh.</i></p> <p>R : Relationship between the variables in a question. <i>Pernyataan dalam soalan dan mempunyai hubungan.</i></p> <p><u>Sample answer</u></p> <p>1. What is the effect of temperature on rate of anaerobic respiration in yeast / time taken for the lime water to turns cloudy? <i>Apakah kesan suhu terhadap kadar respirasi anaerobik dalam yis / masa yang diambil untuk air kapur menjadi keruh?</i></p>	3
	<p>Able to state a problem statement less accurately</p> <p><u>Sample answers</u></p> <p>1. What is the effect of temperature on yeast? <i>Apakah kesan suhu ke atas yis?</i></p> <p>2. How yeast activity affects the temperature? <i>Bagaimana aktiviti yis dipengaruhi oleh suhu?</i></p>	2
	<p>Able to state an idea of a problem statement</p> <p><u>Sample answers</u></p> <p>1. Yeast affected by temperature <i>Yis dipengaruhi oleh suhu.</i></p> <p>2. Temperature is the factor of anaerobic respiration. <i>Suhu adalah faktor kepada respirasi anaerobik.</i></p>	1
	No response <u>or</u> incorrect response	0

Question	Mark Scheme	Marks
2(ii)	<p>Able to state a hypothesis relating the manipulated variable to the responding variable correctly based on the following aspects:</p> <p>P1 : Manipulated variable Temperature/<i>suhu</i></p> <p>P2 : Responding variable Rate of anaerobic respiration in yeast / height // increase in the level of coloured liquid in the manometer / time taken for the lime water to turns cloudy <i>kadar respirasi anaerobik dalam yis / Ketinggian // kenaikan aras cecair berwarna dalam manometer / masa yang diambil untuk air kapur menjadi keruh</i></p> <p>R : Relationship between the variables in a question <i>Pernyataan dalam soalan dan mempunyai hubungan</i></p> <p><u>Sample answer</u></p> <ol style="list-style-type: none"> The higher the temperature, the higher the rate of anaerobic respiration in yeast <i>Semakin tinggi suhu, semakin tinggi kadar respirasi anaerobik dalam yis.</i> If the temperature increases, then the time taken for the lime water to turns cloudy decreases. <i>Jika suhu meningkat , masa yang diambil untuk air kapur menjadi keruh berkurang.</i> 	3
	<p>Able to state a problem statement less accurately</p> <p><u>Sample answers</u></p> <ol style="list-style-type: none"> How is the effect of glucose concentration on the rate of aerobic respiration <i>Bagaimanakah kesan kepekatan glukosa ke atas kadar respirasi aerobik</i> How is the effect of glucose concentration on the rate of respiration <i>Bagaimanakah kesan kepekatan glukosa ke atas kadar respirasi</i> Glucose concentration affects the rate of aerobic respiration <i>Kepekatan glukosa mempengaruhi kadar kadar respirasi aerobik</i> 	2

	<p>Able to state an idea of a problem statement</p> <p><u>Sample answers</u></p> <p>1. Glucose concentration affects the rate of respiration <i>Kepekatan glukosa mempengaruhi kadar respirasi</i></p>	1
	No response <u>or</u> incorrect response	0

2(iii)	<p>Able to state all three variables correctly</p> <p><u>Sample answers</u></p> <p>1. <u>Manipulated variable</u> Temperature / <i>Suhu</i></p> <p>2. <u>Responding variable</u> Rate of anaerobic respiration in yeast / height // increase in the level of coloured liquid in the manometer / time taken for the lime water to turns cloudy <i>Kadar respirasi anaerobik dalam yis / Ketinggian // kenaikan aras cecair berwarna dalam manometer // masa yang diambil untuk air kapur menjadi keruh</i></p> <p>3. <u>Constant variable</u> Volume / concentration of yeast / glucose / lime water / pH value / temperature of water bath <i>Isipadu / kepekatan yis / glukosa / air kapur / nilai pH / suhu kukusan air</i></p>	3
	Able to state any two variables correctly	2
	Able to state any one variables correctly	1
	No response <u>or</u> incorrect response	0

2(iv)	<p>Able to list all the apparatus and materials correctly</p> <p><u>Sample answers</u></p> <p>Method 1 : RV :height // increase in the level of coloured liquid in the manometer <i>Kaedah 1: RV : Kenaikan aras cecair berwarna dalam manometer</i></p>	3
-------	--	----------

	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%; text-align: center;">Apparatus (A) Radas (R):</th> <th style="width: 50%; text-align: center;">Material (M) Bahan (B):</th> </tr> </thead> <tbody> <tr> <td style="vertical-align: top;"> Boiling tube / test tube, manometer / capillary tube / delivery tube, stopwatch, meter rule, rubber tube, retort stand, measuring cylinder <i>Tabung didih / tabung uji, manometer/ tiub kapilari / salur penghantar, jam randik, pembaris, salur getah, kaki retort, silinder penyukat</i> </td> <td style="vertical-align: top;"> Yeast suspension, glucose solution, paraffin oil, colored liquid, marker pen / thread <i>Ampaian yis, larutan glukosa, minyak parafin, cecair berwarna, pen marker / benang</i> </td> </tr> </tbody> </table> <p>6-7R + 4B</p> <p>Method 2 : RV : time taken for the lime water to turns cloudy</p> <p><i>Kaedah 2: RV : masa yang diambil untuk air kapur menjadi keruh</i></p> <table border="1" style="width: 100%; border-collapse: collapse; margin-top: 10px;"> <thead> <tr> <th style="width: 50%; text-align: center;">Apparatus (A) Radas(R) :</th> <th style="width: 50%; text-align: center;">Material (M) Bahan (B):</th> </tr> </thead> <tbody> <tr> <td style="vertical-align: top;"> Tabung didih / tabung uji, jam randik, tiub penghantar, kaki retort, silinder penyukat </td> <td style="vertical-align: top;"> Ampaian yis, larutan glukosa, minyak parafin, air kapur </td> </tr> </tbody> </table> <p>5A+ 4M // 5R + 4B</p>	Apparatus (A) Radas (R):	Material (M) Bahan (B):	Boiling tube / test tube, manometer / capillary tube / delivery tube, stopwatch, meter rule, rubber tube, retort stand, measuring cylinder <i>Tabung didih / tabung uji, manometer/ tiub kapilari / salur penghantar, jam randik, pembaris, salur getah, kaki retort, silinder penyukat</i>	Yeast suspension, glucose solution, paraffin oil, colored liquid, marker pen / thread <i>Ampaian yis, larutan glukosa, minyak parafin, cecair berwarna, pen marker / benang</i>	Apparatus (A) Radas(R) :	Material (M) Bahan (B):	Tabung didih / tabung uji, jam randik, tiub penghantar, kaki retort, silinder penyukat	Ampaian yis, larutan glukosa, minyak parafin, air kapur	
Apparatus (A) Radas (R):	Material (M) Bahan (B):									
Boiling tube / test tube, manometer / capillary tube / delivery tube, stopwatch, meter rule, rubber tube, retort stand, measuring cylinder <i>Tabung didih / tabung uji, manometer/ tiub kapilari / salur penghantar, jam randik, pembaris, salur getah, kaki retort, silinder penyukat</i>	Yeast suspension, glucose solution, paraffin oil, colored liquid, marker pen / thread <i>Ampaian yis, larutan glukosa, minyak parafin, cecair berwarna, pen marker / benang</i>									
Apparatus (A) Radas(R) :	Material (M) Bahan (B):									
Tabung didih / tabung uji, jam randik, tiub penghantar, kaki retort, silinder penyukat	Ampaian yis, larutan glukosa, minyak parafin, air kapur									
	<p>Able to list Apparatus and Materials based on the following criteria:</p> <p>Method 1 : 4-5A + 3M <i>Kaedah 1 : 4-5R + 3B</i></p> <p>Method 2 : 3-4A + 3M <i>Kaedah 2 : 3-4R + 3B</i></p>	2								
	<p>Able to list Apparatus and Materials based on the following criteria:</p> <p>Method 1 : 3A + 2M (yeast suspension and glucose solution) <i>Kaedah 1 : 3R + 2B (Ampaian yis & larutan glukosa)</i></p> <p>Method 2 : 2A + 2M (yeast suspension and glucose solution) <i>Kaedah 2 : 2R + 2B(Ampaian yis & larutan glukosa)</i></p>	1								
	<p>No response or incorrect response Tiada respon</p>	0								

2(v)	<p>Able to describe the steps of the experimental procedure or method correctly based on the following aspects:</p> <p>K1 : Preparation of materials and apparatus <i>Persediaan bahan dan radas</i></p> <p>K2 : Operating the constant variable. <i>Mengendalikan pembolehubah yang dimalarkan</i></p> <p>K3 : Operating the responding variable <i>Mengendalikan pembolehubah bergerak balas</i></p> <p>K4 : Operating the manipulated variable <i>Mengendalikan pembolehubah dimanipulasikan</i></p> <p>K5 : Steps to increase reliability of results accurately / precaution <i>Langkah meningkatkan keputusan dengan lebih tepat/langkah berjaga-jaga</i></p> <p><u>Sample answers</u></p> <ol style="list-style-type: none"> Label the test tube with A, B, C and D (K1) <i>Label tabung uji dengan A, B, C dan D</i> Fill 5 test / boiling tubes with 15 cm³ suspension of yeast. (Mixture of 5g yeast and 100cm³ of 10% glucose solution. (K1 / K2) <i>Isikan 5 tabung uji / didih dengan 15cm³ ampaiian yis . (campuran 5g yis dan 100cm³ of 10% larutan glukosa).</i> Place test tubes A, B, C and D in ice or water bath. (K1) <i>Letakkan tabung uji A, B, C dan D dalam ais atau kukusan air.</i> Maintain the water bath temperature at 10°C, 20°C, 30°C, 40°C each. (K4) <i>Kekalkan suhu kukusan air pada 10°C, 20°C, 30°C, 40°C setiap satu.</i> Connect the boiling tubes to the capillary tube. In this tube, a coloured liquid dots are trapped. (K1) <i>Sambung tabung-tabung didih kepada tiub kapilari. Dalam tiub ini, satu titik cecair berwarna diperangkap.</i> Mark the initial level of the coloured liquid in the manometer. (K1) <i>Tandakan aras awal cecair berwarna dalam manometer.</i> Start the stopwatch. (K1) <i>Mulakan jam randik</i> 	
------	---	--

	<p>8. Mark and record the final level of the coloured liquid in the manometer after 10 minutes using the meter rule (method 1) (K2/K3) / Measure and record the time taken for the lime water to turns cloudy by using the stopwatch (Method 2). (K3) / Calculate and record rate of anaerobic respiration in yeast by using the formula. (K3)</p> <p>Rate of anaerobic respiration = $\frac{\text{Increased level of colored liquid in manometer (cm)}}{\text{Time (min)}}$</p> <p><i>Tanda dan rekod aras akhir cecair berwarna dalam manometer selepas 10 minit menggunakan pembaris (kaedah 1) / Ukur dan rekod masa yang diambil untuk air kapur menjadi keruh dengan menggunakan jam randik (Kaedah 2)./ Kira dan rekod kadar respirasi anaerobik dalam yis dengan menggunakan rumus:</i></p> <p>Kadar respirasi anaerobik = $\frac{\text{Kenaikan aras cecair berwarna dalam manometer(cm)}}{\text{Masa (min)}}$</p> <p>9. Record the data in the table. (K1) <i>Rekod data dalam jadual.</i></p> <p>10. Make sure all apparatus connections are tight and airtight // Repeat the experiment twice to get the average reading. (K5) <i>Pastikan kesemua sambungan radas adalah ketat dan kedap udara // Ulang eksperimen sebanyak dua kali untuk mendapatkan purata bacaan.</i></p> <p>*Reject if the temperature exceeds than 60°C and above <i>*Tolak jika suhu melebihi 60°C dan ke atas.</i></p> <p>Scoring rubric K1 : Step 1, 2, 3, 5, 6, 7 and 9 (Any 4 steps) K2 : Step 2 and 8 (Any one) K3 : Step 8 K4 : Step 4 K5 : Step 10 All 5 K</p>	3
	Any 3 - 4 K	2
	Any 1 – 2 K	1
	No response <u>or</u> incorrect response	0

2(vi)	<p>Able to present all the data with unit based on the following aspects: <i>Dapat membina jadual untuk merekod data berdasarkan kriteria berikut :</i></p> <p>P1 : Correct manipulated variable with unit and data <i>Pembolehkan dimanipulasikan dengan data dan unit yang betul</i></p> <p>P2 : Correct operating RV / Responding variables with units <i>Pembolehkan bergerak balas dengan unit yang betul</i></p> <p><u>Sample answer</u></p> <table border="1" data-bbox="368 658 1321 1167"> <thead> <tr> <th data-bbox="368 658 568 1005">Temperature Suhu, °C</th> <th data-bbox="568 658 1002 1005">Increased level of coloured liquid in manometer (cm) / time taken for the lime water to turns cloudy <i>Kenaikan aras cecair berwarna dalam manometer (cm) / masa yang diambil untuk air kapur menjadi keruh (min)</i></th> <th data-bbox="1002 658 1321 1005">Rate of anaerobic respiration(cmmin^{-1}) / (min^{-1}) <i>Kadar respirasi anaerobik yis (cmmin^{-1}) / (min^{-1})</i></th> </tr> </thead> <tbody> <tr> <td data-bbox="368 1005 568 1043">10</td> <td data-bbox="568 1005 1002 1043"></td> <td data-bbox="1002 1005 1321 1043"></td> </tr> <tr> <td data-bbox="368 1043 568 1081">20</td> <td data-bbox="568 1043 1002 1081"></td> <td data-bbox="1002 1043 1321 1081"></td> </tr> <tr> <td data-bbox="368 1081 568 1120">30</td> <td data-bbox="568 1081 1002 1120"></td> <td data-bbox="1002 1081 1321 1120"></td> </tr> <tr> <td data-bbox="368 1120 568 1167">40</td> <td data-bbox="568 1120 1002 1167"></td> <td data-bbox="1002 1120 1321 1167"></td> </tr> </tbody> </table>	Temperature Suhu, °C	Increased level of coloured liquid in manometer (cm) / time taken for the lime water to turns cloudy <i>Kenaikan aras cecair berwarna dalam manometer (cm) / masa yang diambil untuk air kapur menjadi keruh (min)</i>	Rate of anaerobic respiration(cmmin^{-1}) / (min^{-1}) <i>Kadar respirasi anaerobik yis (cmmin^{-1}) / (min^{-1})</i>	10			20			30			40			2
Temperature Suhu, °C	Increased level of coloured liquid in manometer (cm) / time taken for the lime water to turns cloudy <i>Kenaikan aras cecair berwarna dalam manometer (cm) / masa yang diambil untuk air kapur menjadi keruh (min)</i>	Rate of anaerobic respiration(cmmin^{-1}) / (min^{-1}) <i>Kadar respirasi anaerobik yis (cmmin^{-1}) / (min^{-1})</i>															
10																	
20																	
30																	
40																	
	Able to construct a table based on one aspect	1															
	No response <u>or</u> incorrect response	0															